

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A process for producing 2-O- α -glucopyranosyl-L-ascorbic acid, comprising the steps of:

allowing α -isomaltosyl glucosaccharide-forming enzyme together with or without cyclomaltodextrin glucanotransferase (EC 2.4.1.19) to act on a solution comprising L-ascorbic acid and α -glucosyl saccharide selected from the group consisting of maltooligosaccharide, maltodextrin, cyclodextrin, amylose, amylopectin, soluble starch, liquefied starch, gelatinized starch, and glycogen to form 2-O- α -glucopyranosyl-L-ascorbic acid obtain a reaction mixture containing 2-O- α -glucopyranosyl-L-ascorbic acid in an amount of 10% (w/w) or higher wherein the reaction mixture also contains and each of 5-O- α -glucopyranosyl-L-ascorbic acid and 6-O- α -glucopyranosyl-L-ascorbic acid in an amount of less than 0.1% (w/w), on a dry solid basis; and

collecting the ~~formed~~ 2-O- α -glucopyranosyl L-ascorbic acid from the ~~resulting~~ reaction mixture;

wherein said α -isomaltosyl glucosaccharide-forming

enzyme has an activity of forming a saccharide with a glucose polymerization degree of 3 or higher and bearing both the α -1,6 glucosidic linkage as a linkage at the non-reducing end and the α -1,4 glucosidic linkage other than the linkage at the non-reducing end from a saccharide with a glucose polymerization degree of 2 or higher and bearing the α -1,4 glucosidic linkage as a linkage at the non-reducing end by α -glucosyl-transferring reaction without ~~substantially~~ increasing the reducing power of the reaction mixture; wherein said α -isomaltosyl glucosaccharide-forming enzyme is obtained from the genera *Arthrobacter* and *Bacillus*

2. (Previously Presented) The process of claim 1, wherein glucoamylase (EC 3.2.1.3) is allowed to act on the reaction mixture after the action of α -isomaltosyl glucosaccharide-forming enzyme on said solution together with or without cyclomalodextrin glucanotransferase.

Claims 3-5. (Cancelled)

6. (Previously Presented) The process of claim 1, wherein the step of collecting 2-O- α -glucopyranosyl-L-ascorbic acid comprises a step of using a strongly-acidic cation exchange resin.

7. (Currently Amended) The process of claim 1, wherein the formed 2-O- α -glucopyranosyl-L-ascorbic acid is collected in ~~a~~the form of a syrup, a powder, or a crystal.

Claims 8-20. (Cancelled)

21. (Previously Presented) The process of claim 6 further comprising pulverizing or crystallizing the 2-O- α -glucopyranosyl-L-ascorbic acid.

Claims 22-23. (Cancelled)